


ACACIA **MULTI SLIDING SYSTEM**

XX-XX CORNER SLIDER WITH DISABILITY RAMP

www.hsystems.co.za

FACTS ABOUT US

H-Systems was founded in 1995 by Rob Morrison and Hewlett Fanner in a double garage and over the past 22 years H-Systems has grown into a successful business country wide. Not only do we supply every corner of South Africa, but we also supply nothern African countries such as Zambia, Namibia, Botswana, Swaziland and Mozambique.



100



STAFF

We currently have 100 staff members working for the H-Systems family and we dedicate our time to training and improving our employee's skills each and everyday.

1

ACACIA SLIDER

2

BAOBAB CASEMENT

3

ALOE FLY SCREEN

4

ROLLER SHUTTER

5

JACARANDA CURTAIN WALL

5

Not only do we look after our employee's but our clients too... and that is why we supply the best to the best!

NEW SYSTEMS

CONFIGURATIONS

- Single track single panel slider X (Shutter or cavity applications).
- Single track double panel slider X-X (Shutter or cavity applications).
- Double track double panel slider XX.
- Double track four panel slider XX-XX.
- Triple track three panel slider XXX.
- Triple track six panel slider XXX-XXX.
- Multi track additions allow for sun shading, louvres and fly screens to be added to the double or triple track.
- 90° corner capabilities.
- System caters for glass thickness from 4 to 24mm, single and double glazed.
- System allows for a mid rail.



02


SPECIFICATIONS

- Interior visible face width of 38mm.
- Depth of interior interlockers from 43 to 117mm.
- Depth of exterior interlockers from 43 to 117mm.
- System caters for cavity sliders with the use of cavity interlockers.
- Glass thickness from 4 to 24mm.
- Track extensions allow for many panel sliders.
- Track height options: 16 and 48mm.
- Glazing of Y, Z and elliptical louvre blades and/or glass.
- Aloe flyscreen can be glazed into the panels.
- Tested in accordance with AAAMSA regulations.
- Disability access ramp.

03

EPDM GASKETS

- Highly resistant to compression set.
- Ensures long term weatherability.
- Will not shrink over time.




04

PUNCHING TOOLS

- Decreases labour and time required for fabrication.
- Makes fabrication to be concise.


INTERLOCKER PERFORMANCE

- Inertia range from 10 to 180cm⁴ allows a wide range of height/span and wind load possibilities.




- Interlocker combinations are not limited to only the above, with 10 interlocker combinations available projects can be optimised to meet the required inertia while reducing the cost.

WINDLOAD CHART 1500 Pa




FEATURES AND BENEFITS

LOUVRE OPTIONS




TRACK OPTIONS



MEETING STILE ADAPTOR

XX-XX, XXX-XXX, etc configurations.
Multilocking functionality.



bizmantools

BIZMANTOOLS

H-Systems (Pty) Ltd. has partnered with Bizmantools, in developing user-friendly software, which offers our valued customers a digital platform to do the following:



DESIGNING



QUOTING



PURCHASE ORDERS



ESTIMATING



CUTTING LIST

Bizman Quoting enables our valued customers, to produce quotes, orders or their suppliers and cutting lists for their production facilities at the touch of a button! The feature-packed product helps manage quality and profitability, while ensuring all work produced is NHRBC compliant. H Systems has identified our customers' needs with regards to cutting and estimating and encourage all of our valued customers, to enquire through our sales team, as to how to get Bizman Lite and take their businesses to the next level.

ACACIA MULTI SLIDING SYSTEM



YOUR GATEWAY TO A BETTER VIEW

H SYSTEMS (PTY) LTD

Aluminium Systems & Hardware Suppliers

info@hsystems.co.za

NATIONAL FOOTPRINT:

Johannesburg, Cape Town, Durban, Port Elizabeth, Pietermaritzburg, Nelspruit

www.hsystems.co.za